


CLAIMS 53380

1. (original) A fungicidal mixture, comprising as active components

(1) a benzamidoxime derivative of the formula I




where the substituent and the index may have the following meanings:

R is hydrogen, halogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy,

n is 1, 2 or 3,

and an azole derivative or a salt or adduct thereof, selected from the group consisting of


(2) bromuconazole of the formula II



and


(3) cyproconazole of the formula III

CLAIMS 53380




and

(4) difenoconazole of the formula IV




and (5) diniconazole of the formula V



and


(6) epoxiconazole of the formula VI

CLAIMS 53380



(VI)


and (7) fenbuconazole of the formula VII



(VII)

and

(8) fluquinconazole of the formula VIII




(VIII)

and


(9) flusilazole of the formula IX

CLAIMS 53380




and

(10) hexaconazole of the formula X



and


(11) metconazole of the formula XI



CLAIMS 53380


and

(12) prochloraz of the formula XII




and

(13) propiconazole of the formula XIII



and


(14) tebuconazole of the formula XIV



and


(15) tetraconazole of the formula XV

CLAIMS 53380




and

(16) triflumizole of the formula XVI



and


(17) flutriafol of the formula XVII



and


CLAIMS 53380

(18) myclobutanil of the formula XVIII




and

(19) penconazole of the formula XIX



and


(20) simeconazole of the formula XX



and


CLAIMS 53380

(21) ipconazole of the formula XXI




and

(22) triticonazole of the formula XXII



and

(23) prothioconazole of the formula XXIII





## CLAIMS 53380

in a synergistically effective amount.

2. (original) A fungicidal mixture as claimed in claim 1 where in formula I the radical R is hydrogen.
3. (original) A fungicidal mixture as claimed in claim 1, wherein the weight ratio of the benzamidoxime derivative of the formula I to the triazole of the formulae II to XXIII in question is from 20 : 1 to 1 : 20.
4. (original) A method for controlling harmful fungi, which comprises treating the harmful fungi, their habitat or the plants, seeds, soils, areas, materials or spaces to be kept free from them with a fungicidal mixture as claimed in claim 1.
5. (currently amended) A method as claimed in claim 4, wherein the compound of the formula I ~~as set forth in claim 1~~ and at least one compound of the formulae II to XXIII ~~as set forth in claim 1~~ are applied simultaneously, i.e. together or separately, or successively.
6. (currently amended) A method as claimed in claim 4 ~~or 5~~, wherein the fungicidal mixture or the compound of the formula I and at least one compound of the formulae II to XXIII ~~as set forth in claim 1~~ are applied in an amount of from 0.01 to 8 kg/ha.
7. (original) A fungicidal composition, comprising the fungicidal mixture as claimed in claim 1 and a solid or liquid carrier.